

LED RETRO FIT BULBS

All prices are for single bulbs - all bulbs are sold in bags of 25 bulbs

		IN SEASON PRICING							PRE ORDER PRICING						
Bulb Styles	Color	C7 (E12) FACETED	G40 (E12) FACETED	C9 (E17) FACETED	C9 (E17) SMOOTH	G40 (E17) FACETED	11S14 (E27) FACETED	F50 (E27) SMOOTH	C7 (E12) FACETED	G40 (E12) FACETED	C9 (E17) FACETED	C9 (E17) SMOOTH	G40 (E17) FACETED	11S14 (E27) FACETED	F50 (E27) SMOOTH
2019 MINLEON SMD BULB 120V DIMMABLE FACETED or SMOOTH	Red	\$ 1.05		\$ 1.30	\$ 1.30	\$ 1.55	\$ 3.00	\$ 4.00	\$ 0.74		\$ 0.90	\$ 0.90	\$ 1.10	\$ 2.10	\$ 2.80
	Orange	\$ 1.05		\$ 1.30		\$ 1.55		\$ 4.00	\$ 0.74		\$ 0.90		\$ 1.10		\$ 2.80
	Yellow	\$ 1.05		\$ 1.30		\$ 1.55		\$ 4.00	\$ 0.74		\$ 0.90		\$ 1.10		\$ 2.80
	Blue	\$ 1.05		\$ 1.30	\$ 1.30	\$ 1.55	\$ 3.00		\$ 0.74		\$ 0.90	\$ 0.90	\$ 1.10	\$ 2.10	
	Green	\$ 1.05		\$ 1.30	\$ 1.30	\$ 1.55	\$ 3.00		\$ 0.74		\$ 0.90	\$ 0.90	\$ 1.10	\$ 2.10	
	Pink	\$ 1.05		\$ 1.30		\$ 1.55			\$ 0.74		\$ 0.90		\$ 1.10		
	Teal	\$ 1.05		\$ 1.30					\$ 0.74		\$ 0.90				
	Purple	\$ 1.05		\$ 1.30		\$ 1.55			\$ 0.74		\$ 0.90		\$ 1.10		
	Pure White	\$ 1.05		\$ 1.30	\$ 1.30				\$ 0.74		\$ 0.90	\$ 0.90			
	Cool White	\$ 1.05		\$ 1.30		\$ 1.55	\$ 3.00	\$ 4.00	\$ 0.74		\$ 0.90		\$ 1.10	\$ 2.10	\$ 2.80
	Sun Warm White	\$ 1.05	\$ 1.45	\$ 1.30	\$ 1.30	\$ 1.55	\$ 3.00	\$ 4.00	\$ 0.74	\$ 1.00	\$ 0.90	\$ 0.90	\$ 1.10	\$ 2.10	\$ 2.80
	Twinkle - Sun White	\$ 1.40		\$ 1.60					\$ 0.98		\$ 1.12				
	Fast Changing	\$ 1.40		\$ 1.60					\$ 0.98		\$ 1.12				
Slow Changing	\$ 1.40		\$ 1.60					\$ 0.98		\$ 1.12					

C-7 / C-9



G-40



11S14



F50



MINLEON 2019 BULB SPECIFICATION SHEET

Bulb Desc.	Color	Kelvin/ Wave Length	LEDs	Chips	IP Rating	Lumens	Work Temp.	AmpS	Watt (MAX)
C7 E12 FACETED BULBS (DIMMABLE)	RED	622-626	2	2x6	IP65	2.8	-20°C~45°C	6MA	0.58W
	YELLOW	586-589	2	2x6	IP65	14.7	-20°C~45°C	6MA	0.58W
	AMBER	603-609	2	2x6	IP65	6.4	-20°C~45°C	6MA	0.58W
	BLUE	462-464	2	2x6	IP65	2.6	-20°C~45°C	6MA	0.58W
	GREEN	511-515	2	2x6	IP65	11.05	-20°C~45°C	6MA	0.58W
	WARM WHITE	3100-3500K	2	2x6	IP65	16.6	-20°C~45°C	6MA	0.58W
	SUN WARM WHITE	2600-2800K	2	2x6	IP65	18.1	-20°C~45°C	6MA	0.58W
	PURE WHITE	9000-11000K	2	2x6	IP65	16	-20°C~45°C	6MA	0.58W
	COOL WHITE	7000-9000K	2	2x6	IP65	16.9	-20°C~45°C	6MA	0.58W
	PURPLE	444-447	2	2x6	IP65	1.2	-20°C~45°C	6MA	0.58W
	TEAL	480-483	2	2x6	IP65	9.9	-20°C~45°C	6MA	0.58W
	PINK	610	2	2x6	IP65	6	-20°C~45°C	6MA	0.58W
C9 E17 FACETED BULBS (DIMMABLE)	RED	622-626	3	3x6	IP65	3.3	-20°C~45°C	6MA	0.58W
	YELLOW	586-589	3	3x6	IP65	20.8	-20°C~45°C	6MA	0.58W
	AMBER	603-609	3	3x6	IP65	10.1	-20°C~45°C	6MA	0.58W
	BLUE	462-464	3	3x6	IP65	2.8	-20°C~45°C	6MA	0.58W
	GREEN	511-515	3	3x6	IP65	12.5	-20°C~45°C	6MA	0.58W
	WARM WHITE	3100-3500K	3	3x6	IP65	22	-20°C~45°C	6MA	0.58W
	SUN WARM WHITE	2600-2800K	3	3x6	IP65	25.3	-20°C~45°C	6MA	0.58W
	PURE WHITE	9000-11000K	3	3x6	IP65	20	-20°C~45°C	6MA	0.58W
	COOL WHITE	7000-9000K	3	3x6	IP65	21.8	-20°C~45°C	6MA	0.58W
	PURPLE	444-447	3	3x6	IP65	1	-20°C~45°C	6MA	0.58W
	TEAL	480-483	3	3x6	IP65	11	-20°C~45°C	6MA	0.58W
	PINK	610	3	3x6	IP65	8	-20°C~45°C	6MA	0.58W

MINLEON 2019 BULB SPECIFICATION SHEET

Bulb Desc.	Color	Kelvin/ Wave Length	LEDs	Chips	IP Rating	Lumens	Work Temp.	Amps	Watt (MAX)
G40 E12 FACETED BULBS (DIMMABLE)	RED	622-626	2	2x6	IP65	2.9	-20°C~45°C	6MA	0.58W
	YELLOW	586-589	2	2x6	IP65	14.71	-20°C~45°C	6MA	0.58W
	AMBER	603-609	2	2x6	IP65	7.1	-20°C~45°C	6MA	0.58W
	BLUE	462-464	2	2x6	IP65	2.5	-20°C~45°C	6MA	0.58W
	GREEN	511-515	2	2x6	IP65	11.9	-20°C~45°C	6MA	0.58W
	WARM WHITE	3100-3500K	2	2x6	IP65	16.4	-20°C~45°C	6MA	0.58W
	SUN WARM WHITE	2600-2800K	2	2x6	IP65	17.6	-20°C~45°C	6MA	0.58W
	PURE WHITE	9000-11000K	2	2x6	IP65	16	-20°C~45°C	6MA	0.58W
	COOL WHITE	7000-9000K	2	2x6	IP65	16.6	-20°C~45°C	6MA	0.58W
	PURPLE	444-447	2	2x6	IP65	1.85	-20°C~45°C	6MA	0.58W
	TEAL	480-483	2	2x6	IP65	10	-20°C~45°C	6MA	0.58W
PINK	610	2	2x6	IP65	6.32	-20°C~45°C	6MA	0.58W	
G40 E17 FACETED BULBS (DIMMABLE)	RED	622-626	3	3x6	IP65	3.6	-20°C~45°C	6MA	0.58W
	YELLOW	586-589	3	3x6	IP65	21	-20°C~45°C	6MA	0.58W
	AMBER	603-609	3	3x6	IP65	9	-20°C~45°C	6MA	0.58W
	BLUE	462-464	3	3x6	IP65	3	-20°C~45°C	6MA	0.58W
	GREEN	511-515	3	3x6	IP65	15.2	-20°C~45°C	6MA	0.58W
	WARM WHITE	3100-3500K	3	3x6	IP65	22	-20°C~45°C	6MA	0.58W
	PURE WHITE	9000-11000K	3	3x6	IP65	22	-20°C~45°C	6MA	0.58W
	COOL WHITE	7000-9000K	3	3x6	IP65	23	-20°C~45°C	6MA	0.58W
	SUN WARM WHITE	2600-2800K	3	3x6	IP65	24.3	-20°C~45°C	6MA	0.58W
	PURPLE	444-447	3	3x6	IP65	1.6	-20°C~45°C	6MA	0.58W
	TEAL	480-483	3	3x6	IP65	10.7	-20°C~45°C	6MA	0.58W
PINK	610	3	3x6	IP65	7.5	-20°C~45°C	6MA	0.58W	
S14 E27 FACETED BULBS (DIMMABLE)	RED	622-626	5	5x6	IP65	6.6	-20°C~45°C	8MA	0.8W
	YELLOW	586-589	5	5x6	IP65	41.8	-20°C~45°C	8MA	0.8W
	AMBER	603-609	5	5x6	IP65	19.6	-20°C~45°C	8MA	0.8W
	BLUE	462-464	5	5x6	IP65	5	-20°C~45°C	8MA	0.8W
	GREEN	511-515	5	5x6	IP65	23.3	-20°C~45°C	8MA	0.8W
	WARM WHITE	3100-3500K	5	5x6	IP65	46.9	-20°C~45°C	8MA	0.8W
	PURE WHITE	9000-11000K	5	5x6	IP65	46	-20°C~45°C	8MA	0.8W
	COOL WHITE	7000-9000K	5	5x6	IP65	47.5	-20°C~45°C	8MA	0.8W
	SUN WARM WHITE	2600-2800K	5	5x6	IP65	52.3	-20°C~45°C	8MA	0.8W